Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	·("3538230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/17 11:14
S2	158	"0003676"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:28
S3	722668	oral care and toothpaste and mouthwash and cationic monomer and anionic monomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/11/17 13:31
S4	1479420	oral care and toothpaste and mouthwash and ar-vinylbenzyl trimethylammonium chloride monomer and anionic monomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:32
S5	26558	(oral care and toothpaste and mouthwash) and (ar-vinylbenzyl trimethylammonium chloride monomer) and (anionic monomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:33
S6	1003	(oral care and toothpaste and mouthwash) and (ar-vinylbenzyl trimethylammonium chloride monomer) and (vinylacetate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:23
S7	10	(oral care toothpaste mouthwash) with (ar-vinylbenzyl trimethylammonium chloride monomer) with (vinylacetate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 13:59
S8	537	(oral care and toothpaste and mouthwash) with (cationic monomer) and (vinyl acetate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:30
S10	85	(oral care and toothpaste and mouthwash) with (styrene) and (vinyl phosphonic acid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/11/17 15:37
S11	35798	(oral care toothpaste mouthwash) with (styrene vinyl phosphonic acid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:38

S12	143	(oral care toothpaste mouthwash) with (styrene) with (vinyl phosphonic acid)	US-PGPUB; USPAT; USOCR;	OR	ON	2005/11/17 15:40
		phosphoric acidy	EPO; JPO; DERWENT			
S13	12915	(oral care toothpaste mouthwash) with (cationic mono polymer) with (anionic mono polymer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 15:52
S14	2699240	oral care toothpaste mouthwash with cationic mono polymer with anionic mono polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:06
S15	27	"5096699"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:16
S16	11	"4327977"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:17
S17	18	"4889713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:19
S18	18	"5139769"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:20
S19	16	"5017362"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	ON	2005/11/17 16:22
S20	23	"4921693"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:41
S21	6	"2005003998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 16:42

S22	2	"20050032998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/11/17 16:59
S23	204	(vinyl phosphonic acid methacryloxyl ethyl trimetyl ammonium chloride) with (hydroxy ethyl acrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/11/17 17:16
S24	1156	424/48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 18:42
S25	497	424/48 and toothpaste	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 18:43
S26	0	424/48 and toothpaste with co-monomers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/17 18:43
S27	. 2	(vinylphosphonic acid) with (methacryloxyl ethyl trimetyl ammonium chloride) with (2-hydroxyethylacrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:32
S28	2	(vinylphosphonic acid) with (methacryloxyl ethyl trimetyl ammonium chloride) with (hydroxyethylacrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 09:09
S29	. 17	(vinylphosphonic acid) and (methacryloxyl ethyl trimetyl ammonium chloride) and (hydroxyethylacrylate)and(toothpas te mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON .	2005/11/18 11:23
S30	412	(vinylphosphonic acid) and (methacryloxyl ethyl trimetyl ammonium chloride) and (hydroxyethylacrylate)and(toothpas te mouthwash chewing gum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:27
S31	3	"6821507"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:27

S32	0	(vinylphosphonic acid) with (methacryloxyl ethyl trimetyl ammonium chloride) with (2-hydroxyethylacrylate)with (toothpase mouthwash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	NEAR	ON	2005/11/18 11:32
S33	740	(oral care and toothpaste and mouthwash) with (cationic monomer) and (anionic monomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/18 11:32

=> d his (FILE 'HOME' ENTERED AT 10:37:49 ON 18 NOV 2005) FILE 'HCAPLUS' ENTERED AT 10:38:00 ON 18 NOV 2005 4 US2005063918/PN OR US2003-665710# /AP, PRN T.1 FILE 'REGISTRY' ENTERED AT 10:39:46 ON 18 NOV 2005 FILE 'HCAPLUS' ENTERED AT 10:39:46 ON 18 NOV 2005 L2TRA L1 1- RN : 41 TERMS FILE 'REGISTRY' ENTERED AT 10:39:47 ON 18 NOV 2005 L3 41 SEA L2 40 L3 AND PMS/CI L4L5 5 L4 AND P/ELS 1 ACRYLIC ACID/CN L6 FILE 'STNGUIDE' ENTERED AT 10:48:31 ON 18 NOV 2005 FILE 'REGISTRY' ENTERED AT 10:52:19 ON 18 NOV 2005 SEL RN 1-2 L5 L7 2 E1-2 AND L5 FILE 'HCAPLUS' ENTERED AT 10:53:01 ON 18 NOV 2005 L8 2 L7 FILE 'REGISTRY' ENTERED AT 10:53:16 ON 18 NOV 2005 1 1746-03-8 1.9 L10 320 1746-03-8/CRN L11 1 818-61-1 17338 818-61-1/CRN L12 L13 1 5039-78-1 L14 1288 5039-78-1/CRN 1 13880-05-2 L15 L16 173 13880-05-2/CRN FILE 'REGISTRY' ENTERED AT 10:54:56 ON 18 NOV 2005 FILE 'REGISTRY' ENTERED AT 10:55:49 ON 18 NOV 2005 L17 1 L10 AND L12 AND L14 L18 1 L10 AND L16 2 L17-18 L19 FILE 'HCAPLUS' ENTERED AT 10:57:01 ON 18 NOV 2005

L20 2 L19

FILE 'HCAPLUS' ENTERED AT 10:58:47 ON 18 NOV 2005

L21 2 L9 AND L11 AND L13

L22 0 L9 AND L15

Welcome to STN International! Enter x:x

LOGINID: ssptamxg1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
NEWS
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
      2
                 "Ask CAS" for self-help around the clock
NEWS
         JUL 20
                 Powerful new interactive analysis and visualization software,
                 STN AnaVist, now available
NEWS
         AUG 11
                 STN AnaVist workshops to be held in North America
         AUG 30
NEWS
      5
                 CA/CAplus -Increased access to 19th century research documents
NEWS
      6
         AUG 30
                 CASREACT - Enhanced with displayable reaction conditions
NEWS
      7
         SEP 09
                 ACD predicted properties enhanced in REGISTRY/ZREGISTRY
         OCT 03
NEWS
      8
                 MATHDI removed from STN
NEWS
      9
         OCT 04
                 CA/CAplus-Canadian Intellectual Property Office (CIPO) added
                 to core patent offices
NEWS 10
         OCT 06
                 STN AnaVist workshops to be held in North America
NEWS 11
         OCT 13
                 New CAS Information Use Policies Effective October 17, 2005
NEWS 12
         OCT 17
                 STN(R) AnaVist(TM), Version 1.01, allows the export/download
                 of CAplus documents for use in third-party analysis and
                 visualization tools
NEWS 13
         OCT 27
                 Free KWIC format extended in full-text databases
         OCT 27
                 DIOGENES content streamlined
NEWS 14
         OCT 27
                 EPFULL enhanced with additional content
NEWS 15
NEWS 16
        NOV 14
                 CA/CAplus - Expanded coverage of German academic research
              JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
NEWS EXPRESS
              MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS INTER
              General Internet Information
              Welcome Banner and News Items
NEWS LOGIN
NEWS PHONE
              Direct Dial and Telecommunication Network Access to STN
NEWS WWW
              CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 12:51:13 ON 18 NOV 2005

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21 FILE 'CAPLUS' ENTERED AT 12:51:22 ON 18 NOV 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Nov 2005 VOL 143 ISS 22 FILE LAST UPDATED: 17 Nov 2005 (20051117/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 1746-03-8/crn

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L2 550 L1

=> s 818-61-1/crn

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L4 12250 L3

=> s 5039-78-1/crn

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L6 3781 L5

=> s 12 and 13 and 14

12250 L3

L7 16 L2 AND L3 AND L4

=> s 12 (L) 13 (L) 14

```
12250 L3
                9 L2 (L) L3 (L) L4
L8
=> d 1-9 bib abs
      ANSWER 1 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
      2005:259335 CAPLUS
ΑN
DN
      142:322379
ΤI
      Oral care compositions comprising a polymer obtained from cationic
      monomers and anionic or neutral monomers
IN
      Charmot, Dominique; Gibbs, Christopher David; Kolosov, Oleg; Liu, Mingjun;
      Nguyen, Son Hoai; Petro, Miroslav; Rannard, Steven Paul
Unilever Home & Personal Care USA, USA
PA
SO
      U.S. Pat. Appl. Publ., 6 pp.
      CODEN: USXXCO
DT
      Patent
LA
      English
FAN.CNT 4
      PATENT NO.
                             KIND
                                        DATE
                                                      APPLICATION NO. DATE
      -----
                               ----
                                        ------
                                                        ______
                                                    US 2003-666489
WO 2004-EP9267
                          A1
A1
      US 2005063921
PΙ
                                         20050324
                                                                                      20030919
                                                                                   20040818
           2005027862

A1 20050331 WO 2004-EP9267 20040818
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
SN, TD, TG
      WO 2005027862
                                         20050331
                SN, TD, TG
PRAI US 2003-665710
                                         20030919
                                Α
      US 2003-665711
                                Α
                                         20030919
      US 2003-666487
                                Α
                                         20030919
                                Α
      US 2003-666489
                                         20030919
      Oral care compns. comprise a polymer obtained by copolymg. a mixture of
AB
      comonomers, said mixture comprising: (a) a cationic monomer selected from
      (ar-vinylbenzyl) trimethylammonium chloride, (dimethylaminopropyl)
      methacrylamide, [2 (methacryloyloxy) ethyl] trimethylammonium chloride,
      2-aminoethylmethacrylate hydrochloride and mixts. thereof; and (b) at
      least one anionic or neutral monomer selected from styrene,
      mono-2-(methacryloyl)ethyl succinate, vinyl acetate, N,
      N-dimethylacrylamide, 2-ethylhexylacrylate, vinylphosphonic acid, acrylic
      acid, 2-acrylamido-2-methyl-1-propanesulfonic acid, N-
      [tris(hydroxymethyl)methyl] acrylamide, N-vinylpyrrolidone, Bu acrylate,
      2-hydroxyethylacrylate, polyethyleneglycol methylethermethacrylate and
      mixts. thereof, said oral care composition is in the form of any one of a
      toothpaste, gel, foam, chewing gum, deformable strip or mouthwash and
      which is suitable for use in the oral cavity. (ar-vinylbenzyl)
      trimethylammonium chloride-styrene-N-[tris (hydroxymethyl)methyl]acrylamid
      e copolymer was prepared Adsorption of the polymer to hydroxyapatite disks
      and pig tongue was studied.
      ANSWER 2 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
AN
      2005:259332 CAPLUS
DN
      142:322376
TI
      Oral dentifrice compositions comprising cationic polymers
IN
      Charmot, Dominique; Gibbs, Christopher David; Kolosov, Oleg; Liu, Mingjun;
      Nguyen, Son Hoai; Petro, Miroslav; Rannard, Steven Paul
PA
      Unilever Home & Personal Care USA, USA
      U.S. Pat. Appl. Publ., 6 pp.
SO
      CODEN: USXXCO
```

DT

Patent

```
English
LA
FAN.CNT 4
                      KIND DATE
                                          APPLICATION NO. DATE
    PATENT NO.
                        ----
                               -----
                                          US 2003-665710
                               20050324
    US 2005063918
                        A1
PΤ
                               20050331 WO 2004-EP9267
    WO 2005027862
                        A1
            AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
            LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
             NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
             TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
             SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
             SN, TD, TG
PRAI US 2003-665710
                               20030919
                         Α
     US 2003-665711
                         Α
                               20030919
     US 2003-666487
                         Α
                               20030919
     US 2003-666489
                        Α
                               20030919
     Oral care composition containing a polymer obtainable by copolymg. a mixture of
AB
     comonomers, in which 40 mol% of the mixture of comonomers is constituted by
     a comonomer , e.g., H2C:CR(X)nY (where R = H or Me, X = divalent organic
     linking group, n = 0 or 1, and Y is a carboxylate or phosphonate anion),
     and in which the balance of the mixture of comonomers is constituted by
     neutral and/or cationic comonomers; the composition being in the form of any
     one of a toothpaste, gel, foam, chewing gum, deformable strip or mouthwash
     and being suitable for use in the oral cavity. (ar-
     vinylbenzyl)trimethylammonium chloride-styrene-N-
     [tris(hydroxymethyl)methyl]acrylamide copolymer was prepared Adsorption of
     the polymer to hydroxyapatite disks and pig tongue was studied.
     ANSWER 3 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
     2005:141130 CAPLUS
AN
DN
     142:221262
ΤI
     Phosphonic acid-modified microgel dispersion
ΙN
     Mueller, Horst
     Bollig & Kemper G.m.b.H. & Co. K.-G., Germany
PA
SO
     PCT Int. Appl., 32 pp.
     CODEN: PIXXD2
DT
     Patent
LA
     German
FAN.CNT 3
                                     APPLICATION NO. DATE
                               DATE
     PATENT NO.
                        KIND
                        ----
                               _____
                                           ------
     ______
                        A1 20050217 WO 2004-IB51403 20040805
PI
     WO 2005014678
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
             GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
             LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO,
             NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
             TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
             SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
             SN, TD, TG
                                20050310
                                           DE 2003-10336770
                                                                   20030808
     DE 10336770
                         A1
PRAI DE 2003-10336770
                        Α
                                20030808
     An emulsifier-free water-thinnable microgel prepared by producing a OH- and
     COOH-group-containing polyacrylate in the presence of ≥1 phosphonic
     group-containing compound is used in water-thinnable base coats for the
     automobile industry. Thus, an acrylic dispersion prepared by radical
     polymerization of a mixture containing styrene, Bu methacrylate, lauryl
```

acrylate,

2-hydroxy ethylacrylate, vinylphosphonic acid and acrylic acid in Bu alc. 2 h at 120°, neutralized with dimethylethanolamine and crosslinked with melamine resin (Cymel 327) is burned together with polyester- and polyurethane dispersion (30 min at 140°) to get a base coat for steel.

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
ANSWER 4 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
rs
AN
      2004:354985 CAPLUS
DN
      140:358986
      Phosphonic acid-modified microgel dispersion
TI
IN
      Mueller, Horst
      Bollig & Kemper G.m.b.H. & Co. K.-G., Germany
PA
SO
      PCT Int. Appl., 43 pp.
      CODEN: PIXXD2
DT
      Patent
LA
      German
FAN.CNT 3
      PATENT NO.
                               KIND
                                         DATE
                                                        APPLICATION NO.
                                                                                      DATE
      _____
                                ----
                                         -----
                                                        ______
                                         20040429
                                                      WO 2003-DE3419
                                                                                      20031013
PI
      WO 2004035642
                                 A1
                AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
                CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
                GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ,
           CM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
      DE 10247847
                                 A1
                                         20040422
                                                        DE 2002-10247847
                                                                                      20021014
                                                        DE 2003-10336770
      DE 10336770
                                 A1
                                         20050310
                                                                                      20030808
      EP 1554323
                                 A1
                                         20050720
                                                        EP 2003-773533
                                                                                      20031013
                AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
PRAI DE 2002-10247847
                                 Α
                                         20021014
      DE 2003-10336770
                                 Α
                                         20030808
      WO 2003-DE3419
                                 W
                                         20031013
      Emulsifier-free microgel dispersions are prepared by polymerizing monounsatd.
AB
      polyunsatd. hydroxyl- and carboxy-group-containing acrylic and aromatic
monomers
      in the presence of phosphonic acid derivs. (e.g., reaction products of
      alkylphosphonic acids with epoxides or vinylphosphonic acid) in an aqueous
      medium with subsequent crosslinking with aminoplast (e.g., melamine
      resin), and, optionally, emulsion radical polymerization with
hydroxyl-containing
                   The title microgel dispersion is useful for base coat manufacturing
      monomer.
in
      automotive finishes (in composition containing polyurethane and polyester
```

automotive finishes (in composition containing polyurethane and polyester dispersion with Al bronze in water/butyl glycol at pH 8.0-8.3) to enhance

a metallic effect and adhesion to polycarbonate.

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
L8 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN AN 2001:903769 CAPLUS DN 136:42566
```

TI Antiplaque aqueous oral composition comprising water-soluble copolymer

IN Bergeron, Vance; Labeau, Marie-Pierre

PA Rhodia Chimie, Fr. SO PCT Int. Appl., 18

SO PCT Int. Appl., 18 pp. CODEN: PIXXD2

```
DT
    Patent
    French
LA
FAN.CNT 1
                       KIND
                               DATE
                                          APPLICATION NO. DATE
     PATENT NO.
                        ----
                               -----
                                            ------
                         A1
                                          WO 2001-FR1710 20010601
    WO 2001093820
                               20011213
PΙ
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
             RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
             UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     FR 2809617
                                          FR 2000-7144
                                                                   20000605
                         A1
                                20011207
                                20020712
     FR 2809617
                          В1
PRAI FR 2000-7144
                                20000605
                         Α
     The invention concerns an antiplaque oral composition comprising an aqueous
     carrier, a bactericidal agent and a water-soluble copolymer (C), said
     copolymer comprising a backbone (B) derived from an oxyalkylene oligomer
     or polymer (AO), and several grafts (G) derived from polymerization of: a water
     soluble ethylenically unsatd. carboxylic, sulfonic acid monomer (A), or one
     of its water soluble salts; and a water soluble ester monomer (E) of
     ethylenically unsatd. carboxylic acid; and of a water soluble ethylenically
     unsatd. phosphonated or phosphated monomer (P); the resp. amts. of
    monomers (A), (E) and (P) corresponding to 10 to 90 parts of (A)/ 10 to 70 parts of (E)/ 0.1 to 50 parts of (P), for 100 parts of the total of
     monomers (A), (E) and (P) of the grafts (G), the relative amts. of
     backbone (B) and of grafts (G) corresponding to a (B)/(G) mass ratio from
     10/90 to 80/20; the average mole weight of said copolymer (C) being 50000 to
     2000000. A copolymer was prepared by the reaction of acrylic acid,
     hydroxyethyl acrylate (I), vinyl phosphonic acid (II), Antarox SC138 where
     the ratio of II:I was 5:9.3. The antiplaque activity of the polymer
     (absorption of triclosan on the hydroxyapatite disk) was 53%.
RE.CNT 2
              THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
              ALL CITATIONS AVAILABLE IN THE RE FORMAT
L8
     ANSWER 6 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
AN
     1996:289992 CAPLUS
DN
     124:319214
TI
     Water-soluble adhesive compositions, especially for bonding paper
IN
     Czech, Zbigniew
PA
     Lohmann Gmbh & Co. Kg, Germany
SO
     Eur. Pat. Appl., 9 pp.
     CODEN: EPXXDW
DT
     Patent
LA
     German
FAN.CNT 1
                                            APPLICATION NO.
     PATENT NO.
                        KIND
                                DATE
                                                                   DATE
     _____
                         ----
                                -----
                                                                   19950812
PΙ
     EP 699726
                         A2
                                19960306
                                            EP 1995-112730
     EP 699726
                         A3
                                19980107
                        B1
     EP 699726
                                19990421
         R: BE, DE, FR, IT
     DE 4431053
                         A1
                                19960307
                                            DE 1994-4431053
                                                                   19940901
PRAI DE 1994-4431053
                                19940901
                         Α
     The title compns. contain a water-soluble copolymer of an unsatd. carboxylic
     acid, a C1-12 alkyl (meth) acrylate, and a polymerizable photoinitiator and
     a water-soluble plasticizer having mol. weight ≤4000. The compns. are
     useful for splicing the ends of rolls of paper, for labels, on tapes for
     use on packages, etc. An adhesive comprised an acrylic
```

acid-4-(2-acryloyloxyethyl)phenyl 2-hydroxy-2-Pr ketone-Bu acrylate

copolymer and polyethylene glycol (mol. weight 400).

```
ANSWER 7 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
L8
```

AN 1995:789160 CAPLUS

DN 123:170591

ΤI Polymers of alkenesulfonic acids and vinylphosphonic acid or derivatives

Hoffmann, Herrmann; Buch, Wolfgang; Gulden, Walter; Engelhardt, Fritz; IN Funk, Ruediger H.; Tardy, Aranka

PA Hoechst A.-G., Germany

Eur. Pat. Appl., 17 pp. SO

CODEN: EPXXDW

DT Patent

LA German

FAN.CNT 1

I	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-					-
PI E	EP 643081	A1	19950315	EP 1994-113443	19940829
	R: DE, DK, GB,	NL			
r	DE 4330699	A1	19950316	DE 1993-4330699	19930910
ľ	NO 9403335	Α	19950313	NO 1994-3335	19940909
j	JP 07173226	A2	19950711	JP 1994-216391	19940909
PRAI I	DE 1993-4330699	Α	19930910		

Polymers useful in saline waters as alkaline earth sulfate and CaCO3 deposition inhibitors contain 50-99.5% alkenesulfonic acids CH2:C(R1)ZSO3R2 [R1 = H, Ph, alkyl; R2 = H, alkyl, NH4, alkali metal or alkaline earth ion; Z = (CH2)n (n = 0-4)] and 50-0.5% phosphonic acid derivative

CH2:CHPO(OR1)(OR2) (R1, R2 = H, alkyl, NH4, alkali metal or alkaline earth ion). Persulfate-initiated polymerization of 90 g ethenesulfonic acid and 10 g vinylphosphonic acid in 120 g H2O at 60° gave a clear, slightly viscous solution of copolymer (I) with weight-average mol. weight 10,000. The min.

concentration of I required to inhibit mineral deposit formation (BaSO4, tube plugging test) was 15 mg/L.

- ANSWER 8 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN L8
- AN 1984:474785 CAPLUS
- DN 101:74785
- TICopolymers from monoethylenically unsaturated mono- and dicarboxylic acids (anhvdrides)
- Denzinger, Walter; Hartmann, Heinrich; Trieselt, Wolfgang; Hettche, IN Albert; Schneider, Rolf; Raubenheimer, Hans Juergen BASF A.-G., Fed. Rep. Ger.
- PA
- Ger. Offen., 17 pp. SO

CODEN: GWXXBX DT Patent

German LA

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3233777	A1	19840315	DE 1982-3233777	19820911
EP 103254	A2	19840321	EP 1983-108753	19830906
EP 103254	A3	19840502		
EP 103254	B1	19871216		
R: AT, BE, CH,	DE, FR	, GB, IT, LI	, NL, SE	
AT 31421	E	19880115	AT 1983-108753	19830906
ES 525510	A1	19840601	ES 1983-525510	19830908
JP 59064612	A2	19840412	JP 1983-165293	19830909
DE 1982-3233777	Α	19820911		
EP 1983-108753	Α	19830906		
	DE 3233777 EP 103254 EP 103254 EP 103254 R: AT, BE, CH, AT 31421 ES 525510 JP 59064612 DE 1982-3233777	DE 3233777 A1 EP 103254 A2 EP 103254 B1 R: AT, BE, CH, DE, FR AT 31421 E ES 525510 A1 JP 59064612 A2 DE 1982-3233777 A	DE 3233777 A1 19840315 EP 103254 A2 19840321 EP 103254 B1 19871216 R: AT, BE, CH, DE, FR, GB, IT, LI AT 31421 E 19880115 ES 525510 A1 19840601 JP 59064612 A2 19840412 DE 1982-3233777 A 19820911	DE 3233777 A1 19840315 DE 1982-3233777 EP 103254 A2 19840321 EP 1983-108753 EP 103254 B1 19871216 R: AT, BE, CH, DE, FR, GB, IT, LI, NL, SE AT 31421 E 19880115 AT 1983-108753 ES 525510 A1 19840601 ES 1983-525510 JP 59064612 A2 19840412 JP 1983-165293 DE 1982-3233777 A 19820911

Copolymers of ≥1 monoethylenically unsatd. dicarboxylic anhydride containing 4-6 C, ≥1 monoethylenically unsatd. monocarboxylic acid containing 3-10 C, and, in some cases, other monoethylenically unsatd. monomers are prepared as powders by suspension polymerization at 50-180° in a solvent (other than benzene) in which the monomers are soluble and the copolymer is insol. At least one third of the dicarboxylic anhydride is present in the reactor before the polymerization begins, and the remainder is added during a time period no greater than the time required to add the first two thirds of the monocarboxylic acid to the reactor. A protective colloid is present in the solvent during copolymn. to prevent agglomeration. The copolymers are used as incrustation inhibitors in laundering. Thus, a mixture of m-xylene 460, maleic anhydride (I) 68, and poly(iso-Bu vinyl ether) (K value 60) 1.7 parts was heated to 139°, treated with 36 parts I (at 70°) during 2 h and a mixture of 104 parts acrylic acid and 10.2 parts tert-Bu202 during 3 h, refluxed 2 h, and spray dried to give 199 g powdered copolymer [26677-99-6] (K value 19.9, containing 1.37% monomeric I).

- ANSWER 9 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN 1.8
- 1984:424128 CAPLUS AN
- DN 101:24128
- TI Continuous copolymerization of monoethylenic unsaturated mono- and dicarboxylic acids
- Denzinger, Walter; Hartmann, Heinrich; Trieselt, Wolfgang; Hettche, IN Albert; Schneider, Rolf; Raubenheimer, Hans Juergen
- BASF A.-G. , Fed. Rep. Ger. Ger. Offen., 15 pp. PA
- SO

CODEN: GWXXBX

DΤ Patent

LA German

FAN.CNT 1

L'MIA'	CNII				
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	DE 3233778	A1	19840315	DE 1982-3233778	19820911
	EP 106111	A1	19840425	EP 1983-108754	19830906
	EP 106111	B1	19871209		
	R: AT, BE, CH,	DE, FR	, GB, IT, I	LI, NL, SE	
	AT 31318	E	19871215	AT 1983-108754	19830906
	ES 525511	A1	19840601	ES 1983-525511	198 30908
	JP 59066407	A2	19840414	JP 1983-165294	198 30909
	JP 02057804	B4	19901206		
	CA 1241490	A1	19880830	CA 1983-436435	198 30909
	US 4725655	A	19880216	US 1986-919583	19861016
PRAI	DE 1982-3233778	Α	19820911		
	EP 1983-108754	Α	19830906		
	US 1983-530476	A1	19830908		
	US 1984-674370	A1	19841126		
	US 1985-730262	A1	19850506		
	US 1985-811326	A1	19851219		

In the title process, 10-60% unsatd. C4-6 dicarboxylic acid, anhydride, or AB salt is polymerized continuously with 40-90% unsatd. C3-10 monocarboxylic acid or salt (total acids 20-80% neutralized) and 0-20% comonomer in aqueous medium at 60-150° in a reactor cascade. Thus, adding a solution of maleic anhydride 72.3, acrylic acid 150, and H2O 153.4 parts, a solution of 28.5 parts 30% H2O2 and 56 parts H2O, and a solution of 85 parts NaOH in 225 parts H2O to the 1st of 3 reactors (all at 100°) and 100 parts 50% aqueous acrylic acid to the 2nd gave a 37% solution of copolymer [52255-49-9] with K-value (2% aqueous solution, fully neutralized) 46 and unreacted maleic acid content 0.76%.

=> file medline SINCE FILE TOTAL COST IN U.S. DOLLARS ENTRY SESSION FULL ESTIMATED COST 24.75 27.60 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION -6.57 -6.57 CA SUBSCRIBER PRICE

FILE 'MEDLINE' ENTERED AT 12:54:14 ON 18 NOV 2005

FILE LAST UPDATED: 16 NOV 2005 (20051116/UP). FILE COVERS 1950 TO DATE.

On December 19, 2004, the 2005 MeSH terms were loaded.

The MEDLINE reload for 2005 is now available. For details enter HELP RLOAD at an arrow promt (=>). See also:

http://www.nlm.nih.gov/mesh/ http://www.nlm.nih.gov/pubs/techbull/nd04/nd04 mesh.html

OLDMEDLINE now back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2005 vocabulary.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 17 or 18

TOO MANY TERMS FOR FILE CROSSOVER IN L3

There are limits on the size of an answer set being crossed over from one file to another. Enter HELP CROSSOVER at an arrow prompt (=>) for specific information.

=> s 17

TOO MANY TERMS FOR FILE CROSSOVER IN L3

There are limits on the size of an answer set being crossed over from one file to another. Enter HELP CROSSOVER at an arrow prompt (=>) for specific information.

=> s 1746-03-8/crn 'CRN' IS NOT A VALID FIELD CODE L9 0 1746-03-8/CRN

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.14	28.74
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-6.57

STN INTERNATIONAL LOGOFF AT 12:56:07 ON 18 NOV 2005